




Juego por parejas
Se proyecta en pantalla y se da un tiempo para que cada alumno tenga tiempo de resolverlo en su cuaderno. Solo se apunta el tanto del ejercicio que esté completamente bien.

AGRUPA

MONOMIOS


SEMEJANTES



$$-y - 3x - y + x$$



$$-y - 3x - y + x$$




$$-2x - 2y$$

$$-5y + 9 - 4x + y + 6x - 6$$



$$-5y + 9 - 4x + y + 6x - 6$$




$$2x - 4y + 3$$

$$-5m^2 + 15 - 3n - m^2 + 8n - 4$$



$$-5m^2 + 15 - 3n - m^2 + 8n - 4$$




$$-6m^2 + 5n + 11$$

$$7a^2 + 10 - 3a - 9a^2 + 6a - 5$$



$$7a^2 + 10 - 3a - 9a^2 + 6a - 5$$




$$-2a^2 + 3a + 5$$

$$-8a^2 + 1 - 2b - 5a^2 + 8b - 9$$



$$-8a^2 + 1 - 2b - 5a^2 + 8b - 9$$




$$-13a^2 + 6b - 8$$

$$-15xy^2 + 15 - 3x - xy^2 + x - 8$$



$$-15xy^2 + 15 - 3x - xy^2 + x - 8$$



$$-16xy^2 - 2x + 7$$


$$-(7 - 3x) - (x - 5) =$$



$$-(7 - 3x) - (x - 5) =$$

$$= -7 + 3x - x + 5 =$$

$$= 2x - 2$$




$$-(2 - 3x) + 2(x - 7) - 3$$



$$-(2 - 3x) + 2(x - 7) - 3$$

$$=-2 + 3x + 2x - 14 - 3=$$

$$=5x - 19$$




$$-3(4 - 2x) + 2(-5 + y) + 4y - 3x$$



$$-3(4 - 2x) + 2(-5 + y) + 4y - 3x$$

$$= -12 + 6x - 10 + 2y + 4y - 3x =$$

$$= 3x + 6y - 22$$




$$-(12 - 3x) + 2(x - 7) + 4y - 3$$



$$-(12 - 3x) + 2(x - 7) + 4y - 3$$

$$=-12 + 3x + 2x - 14 + 4y - 3=$$

$$=5x + 4y - 29$$




$$-3(2x + 1) - 3(5x - 2y) - 15y + 14x - 9$$



$$-3(2x + 1) - 3(5x - 2y) - 15y + 14x - 9$$

$$-6x - 3 - 15x + 6y - 15y + 14x - 9 =$$

$$= -7x - 9y - 12$$




$$2x^2 + 6x \cdot 4x - 20 =$$



$$2x^2 + 6x \cdot 4x - 20 =$$

$$2x^2 + 24x^2 - 20 =$$

$$26x^2 - 20$$




$$-25x^3 : 5x - 3x^2 =$$



$$-25x^3 : 5x - 3x^2 =$$

$$-5x^2 - 3x^2 =$$

$$-8x^2$$




$$-20x^3 : 5x - (-5x^2) =$$



$$-20x^3 : 5x - (-5x^2) =$$

$$-4x^2 + 5x^2 =$$

$$x^2$$




$$5m \cdot 2m - 16m^3 : 4m + (3m)^2 =$$



$$5m \cdot 2m - 16m^3 : 4m + (3m)^2 =$$

$$10m^2 - 4m^2 + 9m^2 =$$

$$+15m^2$$




$$3x^2 \cdot 3x - 4x^5 : 2x^2 + (2x)^3 =$$



$$3x^2 \cdot 3x - 4x^5 : 2x^2 + (2x)^3 =$$

$$9x^3 - 2x^3 + 8x^3 =$$

$$+15x^3$$




$$2x^2 + 6x \cdot 4x - 20x^3 : 5x + (y^2)^2 - (-5y^4) =$$



$$2x^2 + 6x \cdot 4x - 20x^3 : 5x + (y^2)^2 - (-5y^4) =$$

$$2x^2 + 24x^2 - 4x^2 + y^4 + 5y^4 =$$

$$22x^2 + 6y^4$$



$$-7x^2 + x \cdot 4x - 16x^2 : 4x^2 + (x^2)^2 - (-2x^4) =$$



$$-7x^2 + x \cdot 4x - 16x^2 : 4x^2 + (x^2)^2 - (-2x^4) =$$

$$-7x^2 + 4x^2 - 4 + x^4 + 2x^4 =$$

$$+ 3x^4 - 3x^2 - 4$$

